

Ссылки

1. Bennett JM, et al.: Proposals for the classification of acute leukaemias. *Br J Haematol* 33:451-458,1976
2. The Non-Hodgkinis Lymphoma Pathologic Classification Projects: National Cancer Institute Sponsored Study of Classification on Non Hodgkinis Lymphomas: Summary and Description of a Working Formulation for Clinical Usage. *Cancer* 49:2112-2135,1982
3. Harris NL, Jaffe ES, Stein H, Banks PM, Chan JK, Cleary ML, Delsol G, Wolf-Peters C, Falini B, and Gatter KC: A revised European-American classification of lymphoid neoplasms: a proposal from the International Lymphoma Study Group. *Blood* 84:1361-1392, 1994
4. Jaffe ES, Harris NL, Stein H, Vardiman JW (Eds): World Health Organization Classification of Tumours. Pathology and genetics of Tumours of Haematopoietics and Lymphoid Tissues. IARC Press: Lyon 2001
5. Bennett JM, Catovsky D, Daniel MT, Flandrin G, Galton DA, Gralnick HR, and Sultan C: Proposals for the classification of the myelodysplastic syndromes *Br J Haematol* 51:189-199,1982
6. Rappaport H.: Tumor of the Hematopoietic System. Atlas of Tumor Pathology, Sct. III, Fasc. 8, A.F.L.P., Washington, DC.,1966
7. Lennert K, Stein H, and Kaiserling E: Cytological and functional criteria for the classification of malignant lymphomas. *Br. J Cancer* 31 Suppl 2:29-43,1975
8. Lukes RJ, Parker JW, Taylor CR, et al.: Immunologic approach to non-Hodgkinis lymphomas and related leukaemias. Analysis of the results of multiparameter studies of 425 cases. *Seminors in Hematology* 15:322-351, 1978
9. Nowell PC, Hungedord DA: A minute chromosome in human chronic granulocytic leukaemia. *Science* 132:1497-1500, 1960
10. Arif, M., Tanaka, K., Chendil, D., Asou, H., Kyo, T., Dohy, H., and Kamada, N.: Hidden monosomy 7 in acute myeloid leukaemia and myelodysplastic syndrome detected by interphase fluorescence in situ hybridization. *Leukaemia Res.*, 20(9), 709-716, 1996.
11. Miyoshi H, Kozu T, Shimizu K, Enomoto K, Maseki N, Kaneko Y, Kamada N, and Ohki M.: The t(8;21) translocation in acute myeloid leukaemia results in production of an AML1-MTG8 fusion transcript. *EMBO J*, 12: 2715-2721, 1993
12. Tanaka K, Takechi M, Nishimura S, Oguma N, and Kamada N.: Amplification of c-MYC

- oncogene and point mutation of N-RAS oncogene in acute myelocytic leukaemias with double minute chromosomes. *Leukaemia*, 7(3): 303-306, 1993.
13. Tanaka K, Arif M, Eguchi M, Kyo T, Dohy H, and Kamada N.: Frequent jumping translocations of chromosomal segments involving the ABL oncogene alone or in combination with CD3-MLL genes in secondary leukaemias. *Blood*, 89(2): 596-600, 1997.
 14. Tanaka K and Kamada N: Segmental jumping translocation in leukaemia and lymphoma with a highly complex karyotype. *Leukaemia and Lymphoma*, 29(3), 563-575, 1998.
 15. Sato Y, Abe S, Mise K, Sasaki M, Kamada N, Kouda K, Musashi M, Saburi Y, Horikoshi A, Minami Y, Miyakuni T, Vokoyama Y, Ishihara Y, and Miura Y: Reciprocal translocation involving the short arms of chromosomes 7 and 17, t(7p-;11p+), associated with myeloid leukaemia with maturation. *Blood*, 70(5): 1654-1658, 1987.
 16. Harada H, Asou H, Kyo T, Asaoku H, Iwato K, Dohy H, Oda K, Harada Y, Kita K, and Kamada N: A specific chromosome abnormality of t(4;12)(q11-12;crp.13) in CD7+ acute leukaemia. *Brit.J.Haematol.*, 90(4) : 850-854, 1995.
 17. Harada H, Harada Y, Eguchi M, Dohy H, and Kamada N: Characterization of acute leukaemia with 1(4;12). *Leukaemia and Lymphoma*, 25(1): 47-53, 1997.
 18. Ri K, Oguma N, Kamada N, Takimoto Y, Kuramoto J, Doi H, and Okita H: Ring chromosome observed in acute leukaemia cases, *J. Hiroshima Medical Assoc*, 44(1): 76-78, 1991
 19. Breton-Gorius: Immunological and cytochemical characterization of megakaryocytic lineage leukaemia, In: *Megakaryocyte Development and Function*(ed.by Levine et al.), Alan R Liss Inc N.Y.pcrp.301-307,1986
 20. Eguchi-ishimae M, Eguchi M, Tanaka K, Hamamoto K, Ohki M, Ueda K, and Kamada N.: Fluorescence in situ hybridization analysis of 12;21 translocation in Japanese childhood acute lymphoblastic leukaemia. *Jpn.J.Cancer Res.*, 89(7), 783-788, 1998.
 21. Nakamura S: Molecular pathology on malignant lymphoma. 14th Hakata Symposium "Hematology toward new century" minutes, 55-61, 2002
 22. Fujita M, Uno H, Hino T, Nakagawa H, Nagaoka K, and Sasaki N: Splenic lymphoma with villous lymphocytes associated with chromosome aberrations, *Clinical Hematology* 40:330-335, 1999
 23. Tashiro S, Takechi M, Asou H, Takauchi K, Kyo T, Dohy H, Kikuchi M, Kamada N. and Tsujimoto Y: Cytogenetic 2;18 and 18;22 translocations in chronic lymphocytic leukaemia with juxtaposition of bcl-2 and immunoglobulin light chain genes. *Oncogene*, 7(4): 573-577, 1992.
 24. Kamada N, Sakurai M, Miyamoto K, Sanada I, Sadamori N, Fukuhara S, Abe S, Shiraishi Y,

- Abe T, Kaneko Y, and Shimoyama M: Chromosome abnormalities in adult T-cell leukaemia/lymphoma: A karyotype review committee report. *Cancer Res.*, 52(6); 1481-1493, 1992.
25. US-Japan Reassessment of atomic bomb radiation dosimetry in Hiroshima and Nagasaki. ad. by Roesch WC. Vol.1, RERF, Hiroshima, 1987.
 26. Shigematsu I, Ito C, and Kamada N: General introduction: Atomic bomb radiation effects on human body, edited by Hiroshima International Council for Health Care of the Radiation-exposed, atomic bomb radiation effects on human body, 1992, pp.3-19, Bunkodo, Tokyo, 1992
 27. Shimizu Y, Kato H, and Schull WJ.: Life span study report 11. Part 2:cancer mortality in the years 1950-1985 dosed on the recently revised dose (DS86). Tech.Rep.RERF TR 5-88,1988
 28. Shintani T, Hayakawa N, Hoshi M, Sumida M, Hurusu K, Oki S, Kodama Y, Kajikawa H, Inai K, and Kamada N: High incidence of meningioma among Hiroshima atomic bomb survivors. *J.RadialRes.*, 40, 49-57, 1999
 29. Kamada N: Biological dosimetry of atomic bomb survivors exposed within 500 meters from the hypocenter and the health consequences. *J.Radiat.Res.* 40 suppl 155-164, 1999
 30. Kamada N and Tanaka K: Cytogenetic studies of hematological disorders in atomic bomb survivors. In: *Radiation-Induced Chromosome Damage in Man* (ed.by Ishihara,T. and Sasaki, M.S.), Alan R. Liss, New York, 1983, pp. 455-474
 31. Pant GS and Kamada N: Chromosome aberrations in normal leukocytes induced by the plasma of exposed individuals., *Hiroshima J.Med.Sci.*, 26, 149-154, 1977.
 32. Kamada N, Tanaka K, Takechi M, Sakatani K, Kontani N, and Hasegawa A: Chromosome aberrations and transforming genes in leukemic and non-leukemic patients with a history of atomic bomb exposure. *J.Radiat.Res.*, 29(1): 57, 1988.
 33. Kamada N, Munaka M, Kuramoto J, Yokomichi K, Hattori T, Maeda S, Mori M, Akabonai Y, and Yachi A: Comprehensive medical research concerning short distance atomic bomb survivors, No. 16, anti-BAST antibody titer frequently observed, *Nagasaki Medical Journal*, 63 (special issue): 617-619, 1989
 34. Kamada N, Hayakawa N, Kuramoto J, Yokomichi K, Maeda S, Shibata H, Mori M, Akabonai Y, Yachi A, and Ito C.: Comprehensive medical research concerning short distance atomic bomb survivors, No. 18, relation between anti-BAST antibody positive rate and exposure distance, *J. Hiroshima Medical ASSOC*, 43(3): 394-395, 1990

35. Ichimaru M, Ishimaru T, and Belsky JL: Incidence of leukaemia in atomic bomb survivors belonging to a fixed cohort in Hiroshima and Nagasaki,1950-71. Radiation dose, years after exposure, age at exposure and type of leukaemia. *J.Radiat.Res.*19:262,1978
36. Kamada N. and Uchino H.: Haematological abnormalities in six cases with the preleukemic stage for 5-13 years.*Acta Haematol. Jpn.* 37: 32-48, 1974.
37. Kamada N and Uchino H.: Preleukemic states in Atomic Bomb Survivors in Japan. *Blood Cells*, 2: 57-65, 1976.
38. Tanaka K, Kontani N, Kamada N, Kuramoto J, Kyo T, and Doi H: Type of leukaemia occurred in mother exposed at 920 m point and her child and their chromosome observations, *J. Hiroshima Medical Assoc*, 41(3): 486-488, 1988
39. Kamada N.: Cytogenetic and molecular changes in leukaemia found among atomic bomb survivors. *J.Radiat.Res.*, 32(Suppl.): 172-179, 1991.
40. Nakanishi M, Tanaka K, Shintani T, Takahashi T, and Kamada N.: Chromosomal instability in acute myelocytic leukaemia and myelodysplastic syndrome patients among atomic bomb survivors. *J.Radiat.Res.*, 40, 159-167, 1999.
41. Nakanisi M, Tanaka K, and Kamada N: Microsatellite instability in acute myelocytic leukaemia developed from A-bomb survivors.*Int.J.Rad.Biol.*77:607-694, 2001
42. Kamada N and Uchino H: Chronologic sequence in appearance of clinical and laboratory findings characteristic of chronic myelocytic leukaemia. *Blood*, 51,843-850, 1978.
43. Tanaka K, Takechi M, Hong JH, Shigeta O, Oguma N, Kamada N, Takimoto Y, Kuramoto A., Dohy, H., and Kyo T: 9;22 Translocation and bcr rearrangements in chronic myelocytic patients among atomic bomb survivors. *J.Radiat.Res.*, 30(4): 352-358, 1989.
44. Tanaka K, Takechi M, and Kamada, N: Mutation of RAS oncogene in atomic bomb radiation-exposed leukaemia. *J.Radiat.Res.*, 32(4): 378-388, 1991.
45. Henshaw PS and Hawkins JW: Incidence of leukaemia in physician. *J. Natl Cancer Inst.* 4:338-346, 1944
46. Ulrich H: The incidence of leukaemia in radiologists. *N. Engl J. Med.* 234: 45-46, 1946.
47. Court Brown WM and Abbott JD: The incidence of leukaemia in ankylosing spondylitis treated with X rays. A preliminary report. *Lancet. A* : 1283-1285, 1955.
48. Pifer JW. et al: Neoplasms in children treated with X-rays for thymic enlargement. Neoplasms and mortality. *J. Natl Cancer Inst.* 31a 333-1356, 1963.
49. Stewart, A. et al: A survey of childhood malignancies. *Br Med. J.*1:1495-1508,1958.

50. United Nation, Sources and Effects of Ionizing Radiation? UNSCEAR 2000.
51. IAEA: One decade after Chernobyl! Summing up the consequences of the accident. Proceedings of an International Conference Vienna, e-12 April 1996
52. Shataginov SA: Health status of population exposed in the URALS. In International Symposium in Commemoration of the 50th Year of the Atomic Bombing, стр.110-114, Hiroshima, 1995.
53. WHO: Health Consequences of the Chernobyl Accident, Results of the IPHECA pilot projects and related national programmes, Summary report, 1995.
54. Gardner MJ, Snee MP, Hall AJ, Powell CA, and Downes Sand Terrell JD: Results of case-control study. of leukaemia and lymphoma among young people near Sellafield nuclear plant in West Cumbria. Br.Med.J 300: 423-429, 1990
55. Tanaka K, Hashimoto T, Oguma N, Dohy H, and Kamada N.: Influence of M-BCR breakpoint sites on the duration of chronic phase in 100 patients with chronic myelocytic leukaemia. Cancer Genet. Cytogenet. 70(1): 39-47, 1993.
56. Kamada N, Uchino H: Chronic myeloid leukaemia "Hematology" (edited by Hibino S.), pp.914-950, Maruzen, Tokyo, 1985
57. Hashimoto T, Ohtaki M, Kamada N, Yamamoto H, Munaka M: Application of log-linear model in inference on karyotypic evolution in chronic myelocytic leukaemia. Environmental Health Perspectives, 87(2): 135-141, 1990.
58. Ueoka H, Kamada N, Yamamoto O, Ohtaki M, Takimoto Y, Munaka M: Quantitative analysis on leukaemia clinical data, No. 5, Specificity of disease feature in 8;21 translocation leukaemia, J. Hiroshima Medical ASSOC., 37:1543-1549, 1984
59. Tomonaga M, Kuriyama K, Ichimaru M, Matsuo T, Finch SO, Imanaka F, Kuramoto J, Kamada N: FAB reclassification of atomic bomb survivor leukaemia, No. 4, summarized by Nagasaki and Hiroshima group, J. Hiroshima Medical ASSOC., 41 (3): 498-503, 1988
60. Matsuo T, Tomonaga M, Bennett JM, Kuriyama K, Imanaka F, Kuramoto A, Kamada N, Ishimaru M, Finch SO, Pisciotta AV, Ishimaru T: Reclassification of leukaemia among A-bomb survivors in Nagasaki using French-American-British (FAB) classification for acute leukaemia. Jpn.J. Clin.Oncol., 18(2): 91-96, 1988.